
















## HITACHI


| Referenz<br>-<br>Nummer | Number<br>-<br>Nummer ID<br>EKT | Dimension<br>-<br>Abmessungen<br>(mm) | Catalog number<br>-<br>Katalognummer<br>HITACHI | Application<br>-<br>Verwendung  | Picture<br>-<br>Bild  |
|-------------------------|---------------------------------|---------------------------------------|---|---|---|
| E9.1                    | 344143093551                    | 6,5x7,5x14                            | 999 046   | nibbler: <i>CJ65S2, CJ65VA2, CJ65V2</i>   |    |
| E9.2                    | 344143436571                    | 7x11x17                               | 999 043<br>999 073                              | hammer: <i>BM50, DH28Y, DH38YA, DH40MA, DH42, DMT16, DNT16N, DMR13, DMV16, DH40MR, DH40FR</i><br>electric screwdriver/el<br>Schraubendreher.: <i>WH22</i><br>sabre saw/Säbelsägen:<br><i>CR10V, CR12V, CR17R, CR13VC, CR13VA</i><br>circular saw/Kreissägen:<br><i>C6U, C7U, CB10V, CB12V, CB8B, CM6, F8FC, FC6SA, FC7SA, C7BU</i> small grinding<br>machine Schleifer /: <i>G13SC, G15SA</i><br>nibbler: <i>CJ120V</i><br>polisher/Bohner: <i>SP18VA</i><br>tapper/Gewindeschneidma-<br>schine: <i>M8, M8V</i><br>abrasive-band grinding<br>machine/Schleifer: <i>SB10T</i><br>drilling machine/Bohrer: <i>D13</i> |   |
| E9.3                    | 3441434365811                   | 7x13x17                               | 999 071<br>999 038                              | circular saw/ Kreissägen:<br><i>C9U</i><br>hammer: <i>DH50SA1</i>   |  |

| Referenz<br>-<br>Nummer | Number<br>Nummer ID<br>EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>HITACHI | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|----------------------------|----------------------------------|--|---|---|
| E9.4                    | 344143096551               | 6,5x7,5x12                       | 999 041<br>999 072                         | hammer: <i>DH22VB, DH18VB, DH22VD, DH24PA, DH24PB, DH24PD, DH24VB</i><br>hammer drilling machine: <i>DV14, DV20V, VTV16, DV20VB, FDV16VB</i><br>drilling machine: <i>D10VC, D10VS, D6C, D10C, D12V, D13V, VTP13, FDV15, DGSH, D10VC2, D13VF, D13VG, D10VF</i><br>electric screwdriver/el. Schraubendreher: <i>W6V1, W6V2, W6VA, W6VB, W6V3, W6VA3</i><br>planer/Hobel: <i>P20SA2</i> hedge trimmer/Schneidetrimmer: <i>CJ120VA</i><br>polisher/Bohner: <i>SV12SF, SV12V</i> |    |
| E9.5                    | 3441430965511              | 6,5x7,5x13                       | 999 021<br>999 070                         | grinding machine/Schleifer: <i>GP2, GP2SA</i><br>angle grinding machine/Winkelschleifer: <i>G10SB1, G10SR, G12S1, G12SR, G13SA</i><br>hammer: <i>DH20V, DH22V, DH22VA, DH25V</i><br>electric screwdriver/el. Schraubendreher: <i>W4YE, W4YF, WH12, WH14, WH16</i><br>angle drilling machine/Winkelbohrer: <i>D10YB</i><br>shears/Schere: <i>CN16</i>  |  |
| E9.7                    | 344173439261               | 7x17x17                          | 999 044<br>999 074                         | circular saw/ Kreissägen: <i>PSM8, PSM9, PSU7, PSU13</i><br>angle grinding machine/Winkelschleifer: <i>G18SE, G23SC, G23SC2, G23SE, G23UB, GS23V, GS231, GS23USA,</i><br>hammer: <i>H65SA, H90SA, BM25, H65SB, H90SB</i><br>bench cutter/Tischfräser: <i>CC12, CC12Y, CC14, CC16SA</i><br>nibbler: <i>C10FA, C15FB, CB75, CB75F, C13SA, FCJ55V</i>  |  |




| Referenz<br>-<br>Nummer | Number<br>Nummer ID<br>EKT              | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>HITACHI | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|---|----------------------------------|--|---|---|
| E9.8                    | 3441434335612<br>Konnektor<br>connector | 6,5x9x17                         | 999 088<br>999 076                         | angle grinding machine/<br>Winkelschleifer: <i>G12SE, G13SE, G13YC, G15YC, G13SE2, G13YD, G13V</i><br>sander/Schleifmaschinen:<br><i>CNF35U</i> |  |
| E9.9                    | 344173113261<br>connector<br>Konnektor  | 7x17x22                          | 999 061<br>999 089                         | angle grinding machine/<br>Winkelschleifer: <i>G23UA2, G23UB2, G18SH2, G18SE3, G18U2, G18UA2, G18UB2, G23SF2, G23SC3, G23U</i>                  |  |

# HILTI






| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT   | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>HILTI | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|---|----------------------------------|--|----------------------------|---|
| E10.1                   | 3441434335611<br>Abschaltorgan<br>with cut-out                          | 6,3x8x18,5                       |  | hammer: <i>TE12</i>        |    |
| E10.2                   | 344143433571<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x8x19                         |  | hammer: <i>TP90</i>        |   |
| E10.3                   | 344143436561<br>Abschaltorgan<br>with cut-out                           | 6,3x8x25                         |  | hammer: <i>TE42</i>        |  |
| E10.4                   | 3441430964611   | 6x8x14                           | 80594                                    | hammer: <i>TSB 24</i>      |  |
| E10.5                   | 344143435711<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x10x26                        |  | hammer: <i>TP400, TE52</i> |  |


| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>HILTI | Application<br>Verwendung         | Picture<br>Bild   |
|-------------------------|-------------------------|----------------------------------|--|-----------------------------------|---|
| E10.6                   | 3441431135822           | 6,3x12,5x19                      |  | hammer: <i>TE92, TP800, TP804</i> |  |

# DeWALT




| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>DeWALT | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|-------------------------|----------------------------------|---|--|---|
| E11.2                   | 3441434264615           | 6x8x16,5                         | 401853 01                                 | circular saw/ Kreissägen:<br><i>DW62</i><br>drilling machine/Bohrer:<br><i>DW505KS</i>   |    |
| E11.12                  | 3441434235818           | 6,3x12,5x23,5                    | 940160 03                                 | angle grinding machine/<br>Winkelschleifer: <i>DW476</i> ,<br><i>DW476QS</i> , <i>DW840QS</i> ,<br><i>DW49K</i> , <i>DW492</i> , <i>DW383</i> ,<br><i>DW479</i>  |   |
| E11.14                  | 3441434235631           | 6,3x8x13                         | 939539 01                                 | angle grinding machine/<br>Winkelschleifer: <i>DW401</i> ,<br><i>DW448</i> , <i>DW450K</i> ,<br><i>DW451K</i> , <i>DW806</i> ,<br><i>DW811</i> , <i>DW816</i> , <i>DW818</i><br>nibbler: <i>DW321K</i> ,<br><i>DW322K</i> , <i>DW323K</i> ,<br><i>DW324K</i><br>drilling machine/Bohrer:<br><i>DW133</i> |  |

# AEG




| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>AEG | Application<br>Verwendung | Picture<br>Bild   |
|-------------------------|-------------------------|----------------------------------|--|---------------------------|---|
| E13.1                   | 3441434234722           | 5x8x16,5                         | 351 919                                | 23                        |    |
| E13.2                   | 3441434234646           | 5x8x16                           | 244 939                                | 21, 2                     |   |
| E13.4                   | 3441434234715           | 5x10x16                          | 360 785<br>237 259                     | 30                        |  |
| E13.5                   | 3441434234716           | 5x10x16                          | 360 786 B                              | 29                        |  |
| E13.9                   | 3441734232516           | 8x14x20                          | 329 116 B                              | 83                        |  |

| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>AEG | Application<br>Verwendung | Picture<br>Bild   |
|-------------------------|-------------------------|----------------------------------|--|---------------------------|---|
| E13.10                  | 3441734232514           | 8x14x20                          | 329 116                                | 81                        |  |





## CELMA

| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT                 | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>CELMA | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|---|----------------------------------|--|---|---|
| E1.2                    | 344143433461                            | 5x8x20                           |  | drilling machine/<br>Bohrer: <i>PRCb-16</i>                                       |   |
| E1.3                    | 3441432934611<br>Konnektor<br>connector | 5,4x8,5x14                       | 1119-110-030                             | angle grinding<br>machine/Winkelschlei-<br>fer: <i>HSW125</i> ,<br><i>HSW125E</i> |  |
| E1.4                    | 344143293451                            | 6x7x13                           |  | angle grinding<br>machine/<br>Winkelschleifer:<br><i>PRCk 13(old type)</i>        |  |











| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>CELMA | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|-------------------------|----------------------------------|--|---|---|
| E1.6                    | 3441434264615           | 6,3x8x16                         | 1119-110-046                             | abrasive-band<br>grinding<br>machine/Schleifmasc<br>hine: <i>DBRCc 67 II B</i><br>planer: <i>DBHEh 75 II</i><br><i>B, DHEh 82A</i><br>abrasive-band<br>grinding machine/<br>Schleifmaschine:<br><i>DBSMm 75C,</i><br><i>DBSMm 75 II B</i> |    |
| E1.7                    | 344143093571            | 6,3x10x21                        | 1119-110-073                             | one-line drilling<br>machine/Eintaktbohre<br>r: <i>PRCK 13, PRCK</i><br><i>10, PRCK 13E</i>   |    |
| E1.8                    | 344143432551            | 6,4x6,4x15,7                     | 1119-110-080                             | double-line drilling<br>machine/Zweibohrer:<br><i>PRCr 10/6 II B,</i><br><i>PRCr 10/6S, PRCr</i><br><i>10/6ES</i><br>grinding machine<br>Schleifmaschine /:<br><i>DBSSg 114,</i><br><i>DBSSw 114 II B</i>                                 |  |






# CELMA





| Referenz<br>–<br>Nummer | Number<br>Nummer ID<br>EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>CELMA | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|----------------------------|----------------------------------|--|--|---|
| E1.9                    | 344143433551               | 6,4x6,4x20                       | 1119-110-042                             | double-line hammer drilling machine/Zweihammerbohrer:<br><i>PRCz 16/10II, PRCz 16/10S, PRCz 16/10A, PRCz 16/10AE</i><br>mini drilling machine/klein Bohrer: <i>PRCk 13B, PRCk 13BEO</i><br>router: <i>PRDa 120 AEO</i> |    |
| E1.12                   | 344143433581               | 6,4x12,5x18,2                    | 1119-110-051                             | hammer: <i>PRWg 35, PRWg 40</i><br>hammer: <i>PRWg 1 II B, PRWg 2 II B, PRWg 2B, PRWg 2A</i><br>router: <i>PRDa 160A</i>   |   |
| E1.13                   | 344143113153               | 6,3x16x21,5                      | 1119-110-059                             | polisher: <i>PRAs-175, PRAs-230, PRAs 235, 235A, 235AR</i><br>angle circuit grinding machine/Kreiswinkelschleifer : <i>PRAg 180, 180A, 180AR, 180CR</i>  |  |
| E1.14                   | 3441434364613              | 6x9x17                           | 1119-110-031                             | mini drilling machine/klein Bohrer: <i>PRCj 10AEO, 10CEO, 10FEO, 10BEO, 10DEO</i>  |  |




# BOSCH

| Referenz<br>-<br>Nummer | Number<br>Nummer ID<br>EKT   | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>BOSCH | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|--|----------------------------------|--|---|---|
| E2.1                    | 3441434334612  | 5x8x19                           | 1 617 014 134                            | hammer:<br><i>GBH 2-24 DSR, GBH 2-20 SE, GBH 2 SR, GBH 2-20 S, GBH 2-24 DSE, GBH 25E</i>  |    |
| E2.3                    | 3441434264625  | 5x8x17                           | 2 604 321 905                            | double-line hammer drilling machine/ Zweitakt<br>Bohrhammer : <i>GBM 10-2, GBM 18-2E, GSB 18, GSB 18SE, GSB 18-2, GSB 18-2E, GSB 18-2RE, GBM13E, GSB 20-2RE, GSB 20-2RET, GSB 20-2E</i><br>tapper: <i>GGW 10E</i><br>electric screwdriver/ el.<br>Schraubendreher: <i>GDS 18E, GSR 6-20TE, GSR8-6KE, GSR 8-16KE, GSR 6-25TE, GSR 6-40TE</i><br>abrasive-band grinding machine/Schleifmaschine: <i>GBS 75AE</i><br>planer: <i>GHO 26-82, GHO 31-82</i> |   |
| E2.4                    | 3441434234647<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 5x8x15,5                         | 1 607 014 117 B                          | grinding machine/Schleifer<br>: <i>GSS 280AE, GSS 230AE, GSS 280A, GSS 230A</i><br>hammer: <i>GAH 500DSR</i><br>abrasive-band<br>saw/Schleifsäge: <i>PBS 60, PBS 60E, PBS 75, PBS 75E</i><br>planer: <i>PHO50, PHO150, PHO200</i><br>circular saw/Kreissägen:<br><i>PKS40, PKS46</i>  |  |




| Referenz<br>-<br>Nummer | Number<br>Nummer ID<br>EKT   | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>BOSCH | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|--|----------------------------------|--|---|---|
| E2.5                    | 344143293462   | 5x8x17                           | 2 604 320 912                            | grinding machine/ Schleifer<br>: <i>GG5 27LC, GGS 27,</i><br><i>GG5 27L</i><br>nibbler: <i>GST 60P,</i><br><i>GST 60PAE, GST 60PB,</i><br><i>GST 80PE, GST 85P, GST</i><br><i>85PAE, GST 85PB, GST</i><br><i>85PBAE,</i><br><i>GST 85PBE, GST 85PE</i><br>shears/Schere: <i>GNA 2.0</i>   |    |
| E2.6                    | 344143293462   | 5x8x17,5                         | 1 607 014 116                            | grinding machine/<br>Schleifer: <i>GWS9 150CS,</i><br><i>GWS9 150C,</i><br><i>GWS9 125C, GWS9 125CE,</i><br><i>GWS9 125CES</i><br>shears/Schere: <i>GNA 3.5,</i><br><i>GNA 1.6L, GNA 3.2</i><br>eccentric grinding<br>machine/Schleifer: <i>GEX</i><br><i>125AC,</i><br><i>GEX 150AC, GEX 150ACE</i><br>tapper: <i>GUF 4/22A, GUF</i><br><i>22A</i> |    |
| E2.7                    | 3441434234714<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 5x10x17                          | 1 617 014 124 B                          | hammer: <i>WBH 4/26DS,</i><br><i>GBH 4DSC, GBH 4DFE</i>   |  |
| E2.8                    | 3441434234721<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 5x10x17                          | 1 607 014 138 B                          | grinding machine/<br>Schleifer: <i>GWS7 115,</i><br><i>GWS10 125C,</i><br><i>GWS10 125CE, PWS9 125,</i><br><i>PWS10 125, PWS13 125</i>  |  |
| E2.9                    |  | 5x10x18                          | 1 607 014 151 B                          | mini angle<br>grinder/Winkelschleifer:<br><i>GWS9 125, PWS10 125CE,</i><br><i>PWS13 125CE</i>   |  |

| Referenz<br>-<br>Nummer | Number<br>Nummer ID<br>EKT   | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>BOSCH | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|--|----------------------------------|--|--|---|
| E2.10                   | 3441434235822<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x12,5x22                      | 1 617 014 122 B                          | hammer: <i>GBH 5 DCE</i> ,<br><i>GBH 5/40 DCE</i> , <i>GBH 38</i> ,<br><i>GSH 4</i> , <i>GSH 5CE</i>   |    |
| E2.11                   | 3441434235817<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x12,5x22                      | 1 607 014 129 B                          | cutting<br>saw/Metallkreissägen: <i>GKS 66 CE</i> , <i>GKS 65</i> , <i>GKS 54</i> ,<br><i>GKS 55</i><br>chain saw/Sägeketten: <i>GKE 35BC</i> , <i>GKE 40BC</i>  |    |
| E2.12                   | 3441434235813<br>Abschaltorgan<br>with cut-out<br>device                 | 6,4x12,5x22                      | 3 607 014 000 B                          | hammer drilling<br>machine/Hammerbohrer:<br><i>GDS 24</i> ,<br><i>GSB 90-2E</i> , <i>GDS 30</i><br>drilling machine/Bohrer:<br><i>GBM 16-2RE</i> , <i>GBM 23-2E</i><br>blender/Mischer: <i>GRW 11E</i><br>grinding machine/<br>Schleifer: <i>GGG 6</i> , <i>GGG 6S</i> |   |
| E2.13                   | 3441434235817<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x12,5x23                      | 1 607 014 106                            | polisher/Bohner: <i>GPO 12E</i><br>shears/Schere: <i>GSC 4.5</i>   |  |
| E2.14                   | 3441734231537<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x16x22                        | 1 607 014 154 B                          | mini angle grinder/<br>Winkelschleifer:<br><i>GWS 20-230</i> , <i>GWS 23-230</i> ,<br><i>GWS 23-180 SDS</i> , <i>GWS 25-180</i>  |  |





| Referenz<br>-<br>Nummer | Number<br>Nummer ID<br>EKT   | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>BOSCH | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|--|----------------------------------|--|---|---|
| E2.15                   | 3441734231535  | 6,3x16x22                        | 1 607 014 103                            | tapper/Gewindeschneid-<br>maschine: <i>GOF 1700 ACE</i><br>grinding machine/<br>Schleifer: <i>PWS 1600</i>  |    |
| E2.16                   | 3441734231572<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x16x26                        | 1 617 014 126 B                          | big hammer/gross<br>Bohrhammer: <i>GBH 10,</i><br><i>GBH 10DC, GBH 11DC,</i><br><i>GSH 10C</i><br>saw/Säge: <i>GSG 300</i>  |    |
| E2.17                   | 3441734231537<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x16x22                        | 1 607 014 130                            | big grinding machine/<br>Schleifer: <i>GWS19, GWS19</i><br><i>180,</i><br><i>GWS19 230, GWS21,</i><br><i>GWS21 230,</i><br><i>GWS21 180, GWS24,</i><br><i>GWS24 180,</i><br><i>GWS24 230, GWS24 300,</i><br><i>PWS 18, PWS 20, GNS 14W</i><br>slotting<br>machine/Langbohrmaschine<br>: <i>GNF 65A, GSF 100A</i>  |   |
| E2.19                   | 344143296551   | 6,4x6,4x16                       | 2 604 321 904                            | drilling machine/ Bohrer:<br><i>B310, SB350.2, SB350.E,</i><br><i>SB350.RLE, SB400,</i><br><i>CSB420.2, CBS420.E,</i><br><i>CBS450.2E, CBS500.2E,</i><br><i>CBS520.2E</i> electric screw-<br>driver/ Schraubendreher:<br><i>1416, 1419, 1419.6, 1419.7,</i><br><i>GSR5, 11TE</i> saw/Säge: <i>PST</i><br><i>50, 50.2, 50E, 54PZE,</i><br><i>55PE, 55PE, 60PEA</i><br>grinding machine/<br>Schleifer: <i>PSS230.E, 3238.4</i><br>double- line drilling<br>machine/ Zwei-taktbohrer:<br><i>GSB 22-2RE, GSB 22-</i><br><i>2RCE</i> drilling machine/<br>Bohrer /electric<br>screwdriver/el. Schrauben-<br>dreher: <i>GBM6, GBM6 RE</i> |  |



| Referenz<br>-<br>Nummer | Number<br>Nummer ID<br>EKT   | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>BOSCH | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|--|----------------------------------|--|--|---|
| E2.20                   | 3441434234645<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 5x8x17,5                         | 1 607 014116 B                           | grinding machine/<br>Schleifer: <i>GWS9 150CS</i> ,<br><i>GWS9 150C</i> ,<br><i>GWS9 125C</i> , <i>GWS9 125CE</i> ,<br><i>GWS9 125CES</i><br>shears/Schere: <i>GNA 3.5</i> ,<br><i>GNA 1.6L</i> , <i>GNA 3.2</i><br>eccentric grinding machine/<br>Schleifer: <i>GEX 125AC</i> ,<br><i>GEX 150AC</i> , <i>GEX 150ACE</i><br>tapper/Gewindeschneid-<br>maschine: <i>GUF 4/22A</i> ,<br><i>GUF 22A</i> |    |
| E2.22                   | 3441434235819  | 6,3x12,5x24,5                    | 1 617 014 135 B<br>(sensor)              | hammer/Bohrmaschine:<br><i>GBH 2/24</i>  |   |
| E2.23                   | 3441434234649<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 5x8x17                           | 2 604 320 910                            | grinding machine/<br>Schleifer: <i>1212</i> , <i>GG57</i> ,<br><i>GG57C</i> , <i>GG527C</i>  |  |

# MAKITA




| Referenz<br>–<br>Nummer | Number<br>Nummer ID<br>EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>MAKITA | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|----------------------------|----------------------------------|---|--|---|
| E3.1                    | 344143436461               | 5x8x9,5                          | 342 003<br>CB65<br>643 065                | angle drilling<br>machine/Eckenbohrer:<br><i>DA3000R</i><br>shears/Schere: <i>JS1600,</i><br><i>JS1660, JS1670, JG1600,</i><br><i>JG2000, JV2000</i>   |    |
| E3.2                    | 3441434264614              | 5x8x11                           | 342 023<br>CB64<br>643 0647               | drilling machine/ Bohrer<br>,electric screwdriver/el.<br>Schraubendreher : <i>6510LVR,</i><br><i>DP4700</i><br>drilling machine/ Bohrer:<br><i>DP4700, 6010B, 5010BVR,</i><br><i>6510SB, 6700N, 8410B,</i><br><i>8410BV</i><br>drilling machine Bohrer:<br><i>6800DB, 6800DBV, 6801BV,</i><br><i>6805BV, 6801DB, 6802BV</i><br>angle grinding machine/<br>Winkelschleifer: <i>9035,</i><br><i>9035N, 9035SB, GV6000,</i><br><i>GV6000R</i><br>hammer drilling machi-<br>ne/<br>Hammerbohrmaschi-<br>ne:<br><i>HP1300, HP1300S</i><br>saw/Säge <i>4300SB, 4301S,</i><br><i>4301SV</i> polisher/ Bohner<br><i>BO4540, BO45 50, BO4553,</i><br><i>BO4554, BO4560, BO4561,</i><br><i>BO 4563, BO5010</i> |   |
| E3.5                    | 3441432964731              | 5x11x12                          | 39 518<br>CB302<br>643 3027               | grinding machine/ Schleifer:<br><i>9541 – 9542</i>   |  |








| Referenz<br>–<br>Nummer | Number<br>Nummer ID<br>EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>MAKITA | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|----------------------------|----------------------------------|---|---|---|
| E3.6                    | 3441432964732              | 5x11x16,5                        | 41 732<br>CB303<br>643 3035               | grinding machine/Schleifer:<br><i>9015B, 9016B</i><br>circular saw/Kreissägen:<br><i>5603R, 5703R</i><br>grinding machine(sander)<br>Schleifer: <i>9227CB</i>   |    |
| E3.8                    | 3441434364611              | 6x9x11                           | 09 197<br>CB419<br>643 4196               | hammer drilling machine/<br>Hammerbohrmaschine:<br><i>HP2030, HP 2031, HP 2040</i><br>nibbler / drilling<br>machine/Bohrer: <i>4304T, 6408</i><br><i>(530W), 4304, 4305, 4305T</i><br>grinding machine/ Schleifer,<br>orbital<br>sander/Schwingschleifer:<br><i>9046</i><br>drilling machine/Bohrer:<br><i>6408, 6410, 6310</i><br>electric screwdriver/el.<br>Schraubendreher: <i>6821</i> |    |
| E3.9                    | 3441434364612              | 6x9x12                           | 091 163<br>CB411                          | angle grinding machine/<br>Winkelschleifer: <i>9525 NB,</i><br><i>9527 NB, 9528NB, 9501BM,</i><br><i>9505BM, 9520NB</i><br>shears/Schere: <i>JN1601</i><br>tapper/Gewindeschneid-<br>maschine: <i>3703, 3704, 3707,</i><br><i>3707F, 3910</i><br>abrasive band grinding<br>machine/Schleifer: <i>9031,</i><br><i>9910, 9911</i>   |  |
| E3.10                   | 344143436471               | 6x10x15                          | 342 008<br>CB100<br>643 100               | hammer electric screwdriver<br>/el. Schraubendreher: <i>6906,</i><br><i>620W,</i><br>planer/Hobel: <i>9901, 9924DB</i><br>shears/Schere: <i>JN3200,</i><br><i>JS3200</i><br>abrasive-band<br>saw/Schleifsäge: <i>2106,</i><br><i>2106W</i><br>angle grinder/ Schleifer:<br><i>PC1100</i>  |  |


| Referenz<br>–<br>Nummer | Number<br>Nummer ID<br>EKT | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>MAKITA | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|----------------------------|----------------------------------|---|---|---|
| E3.12                   | 344143436581               | 6,5x13,5x16                      | 181 044<br>CB153<br>643 1538              | grinding machine/ Schleifer:<br><i>9609 WBS, 9607HB, 9609NB,<br/>9609NG, LS1013</i><br>planer/Hobel: <i>1606B</i><br>mitre saw/Gehrungssägen:<br><i>LS1440, LS1013,</i><br>tapper/Gewindeschneid-<br>maschine: <i>3612, 3612C</i>                         |  |
| E3.13                   | 344173119261               | 7x18x16                          | 37 504<br>CB204<br>643 2047               | hammer: <i>HM1303, HM1303B,<br/>HM1500, HM1500B, HM1800</i><br>grinding machine/ Schleifer:<br><i>9047F, 9047SF, 9049F,<br/>9049SF, 9049FK, 9059F,<br/>9059SF, 9059FK, 9029F,<br/>9037F, 9039F, 9067-9069</i><br>circular saw/Kreissägen:<br><i>5903R</i> |  |

# METABO






| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT  | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>METABO | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|--|----------------------------------|---|---|---|
| E4.1                    | 3441434234721<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 5x10x16                          | 34 301 170<br>31 603 551                  | angle grinding machine/<br>Winkelschleifer: <i>W7-115</i>   |    |
| E4.2                    | 3441734231517<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6x16x22                          | 34 301 277                                | angle grinding machine/<br>Winkelschleifer:<br><i>Marathon W2080,</i><br><i>W2081x, W2030,</i><br><i>W2031x, W2280,</i><br><i>W2281x, W2230, W2282x</i><br><i>Quick, W2232x Quick</i>   |   |
| E4.3                    | 3441734232517<br>Abschaltorgan<br>with cut-out                           | 8x14x20                          | 34 301 084<br>31 603 395                  | angle grinding machine/<br>Winkelschleifer: <i>W20180,</i><br><i>W20180X, W20187</i><br><i>Quick, W20187X Quick,</i><br><i>W20230, W20230X,</i><br><i>W20237 Quick, W21180,</i><br><i>W21180X, W21230,</i><br><i>W21230X, W23180,</i><br><i>W23180X, W23230,</i><br><i>W23230X, WE24180X,</i><br><i>WE24230X, W25180,</i><br><i>W25180X, W25230,</i><br><i>W25230X</i><br>polisher/Bohner: <i>P14175,</i><br><i>SN14125, W14175</i><br>saw/Säge: <i>KS1785S,</i><br><i>KS4346S</i><br>hammer: <i>TR3300</i> |  |






## BULGARSKIE ŁOWECZ / SPARKY





| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT                        | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>SPARKY | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|--|----------------------------------|---|---|---|
| E5.1                    | 344143093461                                   | 5x8x20                           |   | drilling machine/Bohrer:<br><i>EB-6/450W</i>  |    |
| E5.2                    | 344143096471                                   | 5x10x22                          | 216-237                                   | double-line drilling machine/<br>Zweitakt<br>Hammerbohrmaschine: <i>BZ<br/>16a/650W</i> |   |
| E5.3                    | 3441430935711<br>Konnektor<br>connector        | 6,4x10x21                        |   | grinding machine/ Schleifer:<br><i>Eltos 900W</i>                                       |  |
| E5.4                    | 3441434235813<br>Abschaltorgan<br>with cut-out | 6,4x12,5x18                      |   | angle grinding machine/<br>Winkelschleifer: <i>MA 2000,<br/>MBA2001</i>                 |  |
| E5.5                    | 3441433035814                                  | 8x16x25                          | 123-551                                   | angle grinding machine/<br>Winkelschleifer: <i>Eltos WSA-<br/>2100, WSA-2300</i>        |  |

| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT                       | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>SPARKY | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|---|----------------------------------|---|--|---|
| E5.6                    | 344173119251<br>Abschaltorgan<br>with cut-out | 8x16x28                          | 210-293                                   | angle grinding machine/<br>Winkelschleifer: <i>WESPA</i> ,<br><i>WSBA-1400</i> |  |

# BLACK&DECKER



| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT  | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>B&D | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|--|----------------------------------|--|--|---|
| E6.1                    | 344143425442   | 6x6x15                           | 731 717<br>904 764                     | electric screwdriver/el.<br>Schraubendreher:<br><i>P73÷19</i>              |    |
| E6.2                    | 3441434235673<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 6,3x8x13,5                       | 930 151<br>93 089 700<br>939 539 01    | grinding machine/<br>Schleifer P 5411                                      |    |
| E6.3                    | 344143433561<br>Konnektor<br>connector                                   | 6,5x8x15                         | 56045400                               | grinding machine/<br>Schleifer KG 65÷75                                    |  |
| E6.4                    | 344143431441   | 6x6x13                           | 203 569                                | angle grinding machine/<br>Winkelschleifer:<br>SAG500, SAG550,<br>SAG 550F |  |
| E6.5                    | 3441434235814  | 6,3x12,5x25                      | 854 500                                | angle grinding machine/<br>Winkelschleifer:                                |  |

| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT                        | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>B&D | Application<br>Verwendung  | Picture<br>Bild   |
|-------------------------|--|----------------------------------|--|--|---|
| E6.6                    | 344143435461<br>Abschaltorgan<br>with cut-out  | 6x8x15                           | 731 718                                | grinding machine/<br>Schleifer HD2140,<br>HD2120, P6303,<br>P6304, P6305 |    |
| E6.7                    | 3441734231536<br>Abschaltorgan<br>with cut-out | 6,3x16x22,5                      | 908 752                                | angle grinding machine/<br>Winkelschleifer: P5702,<br>P5703, P5706       |    |
| E6.8                    | 344173439241                                   | 7x12x25                          | 908 206                                | angle grinding machine/<br>Winkelschleifer:<br>SMEA/B, SAME/C            |   |
| E6.9                    | 3441434334611<br>Konnektor<br>connector        | 5,95x8,35x15                     | 903 860                                | angle grinding machine/<br>Winkelschleifer:<br>MAG101, MAG102,<br>P5502  |  |
| E6.10                   | 3441434364614                                  | 6x8x16                           | 907 904                                | grinding machine/<br>Schleifer ORS, ORL<br>planer/Hobel: 80PLA,<br>P7101 |  |

| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT                 | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>B&D | Application<br>Verwendung   | Picture<br>Bild   |
|-------------------------|---|----------------------------------|--|---|---|
| E6.11                   | 344143296464                            | 6x8x16,5                         | 914 633                                | saw/Säge: <i>BD700, BD800, DN57, DN800, SR300, SR 700, P3703</i>                                  |    |
| E6.13                   | 3441434234683                           | 6x8x18                           | 320-876                                | hammer/Hammerbohrmaschine: <i>BD423, BD425RE, D423, D425, P8000, P8020, RW500E, SR950RE, 5014</i> |    |
| E6.14                   | 3441434265724                           | 6,4x10x20                        | EL0019                                 |   |  |
| E6.15                   | 3441734231515<br>Konnektor<br>connector | 6,3x16x22                        | 931-078                                |   |  |



# KANGO

| Referenz<br>-<br>Nummer | Number<br>Nummer ID EKT   | Dimension<br>Abmessungen<br>(mm) | Catalog number<br>Katalognummer<br>INNE | Application<br>Verwendung                                | Picture<br>Bild   |
|-------------------------|---|----------------------------------|---|--|---|
| E7.1                    | 344143093472<br>Abschaltorgan<br>Konnektor<br>with cut-out<br>connector | 5x10x15                          |   | hammer/<br>Hammerbohrmaschine:<br><i>Kango 637-638</i>   |  |
| E7.2                    | 344143116561  | 6,35x9,52x20                     |   | hammer/<br>Hammerbohrmaschine:<br><i>Kango 900x-950x</i> |  |